

HT208 SERIES
HT208A/HT208D AC DC Clamp Meter

1000A Current 6000 Counts VFD In-Rush Low Z Range

| to prevent Error reading cause by false voltage
| HD Color Screen Display / Dual Display for Voltage & Frequency
| NCV/LIVE Line detection

OEM/ODM



Products Details

HT118 SERIES

High precision digital multimeter

TRUE RMS 6000 Counts LCD Warning LED Prompt

| High Voltage Orange Color Backlight Indicator
| Input Jack LED Indicator
| Overload Protection

OEM/ODM



HABOTEST®

Home

About Us

Products

Solutions

Video

Blog

Contact Us

官方承诺 正品保障

1年保只换不修



Digital Clamp Meter HT208D 6000counts HABOTEST Voltage 1000V Ohm Hz Temperature NCV, VFD , Current,DUT Inrush DCA

Brand Name: HABOTEST

Model Number: HT208D

MOQ: 1-198 Pieces

Price: \$36.00



Get Best Price

Detail Information

Product Description

Detail Information

Place Of Origin: Guangdong, China

Measuring Current Range: 60A,600A,1000A

Measuring Resistance Range: 600Ohm,6kOhm,60kOhm,600kOhm,6MOh

Operating Temperature: -5~50

Weight: Approx. 380g

Display Color: Double Color Display

Certificate: CE CAT.II 600V RoHS

Product Name: Digital Clamp Multimeter For Electricians

Services: OEM, ODM

Display Type: Analog And Digital

Measuring Voltage Range: 600mV,6V,60V,600V,1000V

Measuring Capacitance Range: 10nF,100nF,1uF,10uF,100uF,1mF,10mF,100MF

Dimensions: 240X85X47mm

Display: 6000 Counts LCD Display

Standard Accessories: Cloth Bag , Test Leads, Manual, Battery

Jaw Opening Size: Diamission 35*60mm

Model Number: HT208D

Warranty: 12

Chat with us

Functions:	Current, Voltage ,Capacitance, Resistance, Diode	Selling Units:	Single Item
Single Package Size :	24X9X5 Cm	Single Gross Weight:	0.380 Kg
Package Type:	30pcs Per Carton, Paper Carton		
Highlight:	HT208D Digital Clamp Meter		

Product Description

Product Description

HT208D Digital Clamp Meter 6000counts Habotest HT208DAC/DC 1000V Ohm Hz Temperature NCV, VFD , DUTY test pinza amper Inrush DCA zero

Packaging & Shipping

Port: Shenzhen
Lead Time :

Quantity(Pieces)	1 - 40	41 - 1000	>1000
Est. Time(days)	3	25	To be negotiated Specification

Specification

This is a dual impedance true RMS digital multimeter integrating a variety of measurements like AC/DC voltage, AC/DC current, resistance, capacitance, frequency, duty cycle, temperature, continuity, NCV, VFD, inrush current, etc.. And there are more functions like last data hold, flashlight, Max./Min./Relative.

Features:

CLAMP MULTIMETER: Measures inrush current, VFD current/voltage, AC/DC current, AC/DC voltage, frequency, duty cycle, temperature, continuity, NCV, VFD, inrush current, etc.. And there are more functions like last data hold, flashlight, Max./Min./Relative.

WIDE OPENING JAW: Opening jaw capacity is 40mm, wide enough to measure without disturbing the circuit.

LOUD BEEP: NCV sensor send out audible and visual alarm once received electromagnetic signal.

MORE FUNCTIONS: Features data hold, flashlight, low battery display, Celsius/Fahrenheit degree, Max./Min./Relative.

SAFE TO USE: Designed and conforms to IEC61010-1, CAT III 1000V, safe and reliable.

AUTO-OFF: Auto power off within 15 minutes if there is no operation, helps conserve the battery.

MULTI TESTER: Comes with 2 test leads and a thermocouple to be used as a multimeter.



Habotest



Digital Clamp Meter HT208D 6000counts HABOTEST Volt...
Price:\$36.00 MOQ:1-198 Pieces

Good day, nice to serve you~

Type a message

Function	Range	Accuracy	
		HT208A	HT208B
DC Voltage	600mV/6V/60V/600V/1000V	±(0.5%+3)	±(0.5%+3)
AC Voltage	600mV/6V/60V/600V/750V	±(0.8%+3)	±(0.8%+3)
DC Current	60A/600A/1000A		±(2.5%+5)
AC Current	60A/600A/1000A	±(2.5%+5)	±(2.5%+5)
Resistance	600Ω/6kΩ/60kΩ/600kΩ/6MΩ/60MΩ	±(0.8%+3)	±(0.8%+3)
Capacitance	10nF/100nF/1μF/10μF/100μF/1mF/10mF/100mF	±(3.0%+3)	±(3.0%+3)
Frequency	10Hz/100Hz/1kHz/10kHz/100kHz/1MHz/10MHz	±(0.5%+5)	±(0.5%+5)
Duty	1%~99%	±(1.0%+2)	±(1.0%+2)
Temperature (°C/°F)	-40°C~1000°C	±(1.0%+2)	±(1.0%+2)
	-40°F~1832°F	±(1.0%+2)	±(1.0%+2)
Counts		6000	6000
Auto/Manual range		√	√
Continuity		√	√
Diode		√	√
Data Hold		√	√
NCV		√	√
Back light		√	√
Flashlight		√	√
DCA ZERO		√	√
Low battery indication		√	√
Auto power off		√	√
True RMS		√	√
VFD		√	√
INRUSH		√	√
MAX/MIN		√	√
REL		√	√
LowZ		√	√
VA screen		√	√
Power	3xAAA(1.5V)Batteries		
Safety Rating	EN61010-1,-2-030 EN61010-2-033, EN61326-1 CAT III 600V		



Our Services

- * Inquiry and consulting support
 - * Online presentation if necessary
 - * Company & Factory Visit (Site or Online)
 - * Free Samples (Shipping Cost Excluded)
- * 12 months warranty
 - * Spare parts delivery
 - * New product exchange
 - (Term & Conditions Apply)

Company Information

Dongguan Habotest Instrument Technology Co.,Ltd is an innovation orientied technology enterprise with an over 20 years R&D team, injection molding, professional production line and assembly capabilities.

We offering professional and innovative measuring products as Digital Mltimeter, Digital Clamp Meter, Earth Resistane tester, Insulation Tester, Enviromental detector and other detecting instrumrnts for the worldwide customers to meet the growing global market demend, we also provide electronic test tools, measurement solutions and ODM and OEM services to specific customers.

Habotest is currently developing test meters and instruments in an industry park nearly 5000 square meter facility. With this new facility, Habotest is capable to fully supply product demands from all customers across the world.

"Talents Oriented, Technology Leading, Quality Assurance, Global Commitment" is our tenet.

We are aiming to build a long-lasting and win-win partnership with our worldwide customers.

Tags:

600V Digital Clamp Meters

6A Digital Clamp Meters

60A

Habotest

Related Product



Video

HT206B Auto Range...





600V AC DC Clamp...





Video

Habotest HT206D 6...





6000 Counts 60M Ohm...





Manual 60A Digital Cla...





6 Volt 100nF Digital Cla...





2A 2000 Digital C





2000 Counts Auto Rang...



 Habotest



Social Media



Quick Link

- About Us
- products
- blog
- Contact Us

Products

- Handheld Digital Multimeter
- Digital Clamp Meters
- Pen Type Voltage Tester
- Brake Fluid Moisture Detector
- Plug Socket Tester
- Environmental Testers

Quick Contac

- Tel 86--13798
- E-mail sales@ha
- Address 8th Buldin Dongguan

 Hobotest

