

HT208 SERIES
HT208A/HT208D AC DC Clamp Meter

- 1000A
Current
- 6000
Counts
- VFD
In-Rush
- LowZ
Range
- | to prevent Error reading cause by false voltage
- | HD Color Screen Display / Dual Display for Voltage & Frequency
- | NCV/LIVE Line detection



Products Details

HT118 SERIES
High precision digital multimeter

- TRUE
RMS
- 6000
Counts
- LCD
Warning
- LED
Prompt
- | High Voltage Orange Color Backlight Indicator
- | Input Jack LED Indicator
- | Overload Protection



Home / Products / Handheld Digital Multimeter / HT118D Habotest 1000V Handheld Digital Multimeter



HT118D Habotest 1000V Handheld Digital Multimeter

Brand Name:	Habotest
Model Number:	HT118D
MOQ:	1-59 Pieces
Price:	\$16.40

Get Best Price

Chat Now

Detail Information

Product Description

Detail Information

Place Of Origin:	Guangdong, China	Certification:	CE, Rohs , EMC
Measuring Current Range:	0-10A AC/DC	Measuring Voltage Range:	0-1000V AC/DC
Measuring Resistance Range:	600Ω/6KΩ/600kΩ/6MΩ/60MΩ	Measuring Capacitance Range:	10nF/100nF/1μF/10μF/100μF/1mF/10mF/100mF
Measuring Inductance Range:	Non	Operating Temperature:	0~50°C
Dimensions:	188mmX88mmX58mm	Product Name:	True RMS Digital Multimeter HT118D
DC Current:	60uA//600uA/6mA/60mA/600mA/10A	AC Current:	60mA/600mA/10A
Resistance:	600Ω/6KΩ/600kΩ/6MΩ/60MΩ	Capacitance:	10nF/100nF/1μF/10μF/100μF/1mF/10mF/100mF
Frequency:	10Hz/100Hz/1kHz/10KHz/100kHz/1MHz/10MHz	Duty:	1%-99%
True RMS:	Yes	Selling Units:	Single Item
Single Package Size :	26X10X10 Cm	Single Gross Weight:	0.500 Kg
Package Type:	40pcs Per Carton, Paper Carton		
Highlight:	habotest HT118D Handheld Digital Multimeter, Handheld Digital Multimeter habotest HT118D, 1000V auto multimeter tester		

Product Description

Habotest HT118D 6000 Counts Digital Multimeter With True RMS with Battery Test 10A 1000V

Product Description

6000 Counts
AC/DC Voltage

AC/DC Current
 Resistance:600Ω/6KΩ/600kΩ/6MΩ/60MΩ
 Capacitance:10nF/100nF/1μF/10μF/100μF/1mF/10mF/100mF
 Frequency:10Hz/100Hz/1kHz/10KHz/100kHz/1MHz/10MHz
 Duty
 Live Test
 NCV Detection
 True RMS
 Continuity
 Max/Min Hold
 Bandwidth
 Low battery indication
 Battery Test
 Double Color backlight
 Input jack LED indicate

Specifications	Range	Accuracy		
		HT118A	HT118C	HT118D
DC Voltage	600mV/6V/60V/600V/1000V	±(0.5%+3)		
AC Voltage	600mV	±(1.0%+5)		
	6V/60V/600V/1000V	±(1.0%+5)		
DC Current	60uA/600mA/600mA		±(0.8%+3)	
	600uA/6000uA/60mA/600mA	±(0.8%+3)		
	6A/10A	±(1.2%+3)		
AC Current	600uA/6000uA/60mA/600mA	±(1.0%+3)		
	60mA/600mA		±(1.0%+3)	
	6A/10A	±(1.0%+3)		
Resistance	600Ω/6KΩ/600kΩ/6MΩ/60MΩ	±(0.8%+3)		
Capacitance	10nF/100nF/1μF/10μF/100μF/1mF/10mF	±(4.0%+3)		
	100mF	±(5.0%+5)		
Frequency	10Hz/100Hz/1kHz/10KHz/100kHz/1MHz/10MHz	±(1.0%+3)		
Duty	1%-99%	±(1.0%+2)		
Temperature (°C/ °F)	-40°C--1000°C,-40°F--1832°F	±(1.0%+3)		NO
Counts		6000 Counts		
Auto/Manual Range		Auto	Manual	
Display		LCD Dual	LCD	
Bargraph		Yes	No	
Live Test		Sound and LED alarm		
NCV		Sound and LED alarm		
Diode Test		Yes		
Continuity		Yes		
Max/Min Hold		Yes		
Data hold		Yes		
True RMS		Yes		
Bandwidth		1kHz		
Battery Test(1.5V/9V)		No		Yes
Low Battery Indication		Yes		
Auto Power off		Yes		
Double Color backlight		Yes		
Input Jack LED Indicate		Yes		
Work light		Yes		
Power		2 x 1.5V AA Battery		
Weight		Approx. 350g		
Size		188mmX88mmX58mm		
Safety Rating		EN61010-1,-2-030 EN61010-2-033,EN61326-1 CAT III 1000V,CATIV 600V		



HT118D 6000 Counts Digital Multimeter with T-RMS		
Specifications	Range	Accuracy
DC Voltage	600mV/6V/60V/600V/1000V	±(0.5%+3)
AC Voltage	6V/60V/600V/750V	±(1.0%+5)
DC Current	60uA/60mA/600mA	±(0.8%+3)
	10A	±(1.2%+3)
AC Current	60mA/600mA	±(1.0%+3)
	10A	±(1.5%+3)
Resistance	600Ω/6kΩ/60kΩ/600KΩ/6MΩ/60MΩ	±(0.8%+3)
Capacitance	10nF/100nF/1μF/10μF/100μF/1mF/10mF	±(4.0%+3)
	100mF	±(5.0%+5)
Frequency	10Hz/100Hz/1kHz/10kHz/100kHz/1MHz/10MHz	±(1.0%+3)
Duty	1%-99%	±(1.0%+2)
Counts		6000 Counts
Auto/Manual range		Manual
Display		LCD
Live test(sound and light alarm)		✓
NCV(sound and light alarm)		✓
Diode test		✓
Continuity(sound and light alarm)		✓
Max/Min hold		✓
data hold		✓
True RMS		✓
bandwidth		1kHz
Battery test(1.5V/9V)		✓
Low battery indication		✓
Auto power off		✓
Double color backlight		✓
Input jack LED indicate		✓
Work light		✓
Power		2xAA batteries
Weight		Approx 350g
Size		188mmx88mmx58mm
Safety Rating		EN61010-1,-2-030 EN61010-2-033, EN61326-1 CAT III 1000V,CATIV 600V



AC / DC Voltage



AC / DC Current



Resistance



Continuity



Frequency



Capacitance



Diode Test



Battery Test



**Non Contact
Voltage Detection**



Live Wire Test

MAX/MIN

Max / Min

HT118D

Terminal Port **LED** Indicator







HT118D Multimeter

Manual Range

AC/DC Voltage	Ohm	Continuity	Diode	AC/DC Current	Battery Test
Data Hold	Backlight/Flashlight	Capacitance	Duty	NCV/Live	
True RMS	MAX/MIN				



Our Services

- * Inquiry and consulting support * 12 months warranty
- * Online presentation if necessary * Spare parts delivery
- * Company & Factory Visit (Site or Online) * New product exchange
- * Free Samples (Shipping Cost Excluded) (Term & Conditions Apply)

Company Information

Dongguan Habotest Instrument Technology Co.,Ltd is an innovation oriented technology enterprise with an over 20 years R&D team, injection molding, professional production line and assembly capabilities.

We offering professional and innovative measuring products as Digital Mltimeter, Digital Clamp Meter, Earth Resistane tester, Insulation Tester, Enviromental detector and other testing instrumnts for the worldwide customers to meet the global market demand, we also provide electronic test tools, measurement solutions and ODM and OEM services to specific customers.

Habotest now has over hundred various patents and set an independent innovation goal of reaching more than 100 authorized patents each year. After 20 years industry experience in research and development, Habotest stand management and quality systems, obtaining ISO9001-2008 and ISO/TS16949, CE, IEC safety standards and introducing financial ERP systems.

For providing qualified products and superior service to all customers, we have been always producing products which meet the industry standards, and creating unique innovative solutions in high-growth fields. Habotest is currently developing test meters and instruments in an industry park nearly 5000 square meter facility. With this new facility, Habotest is capable to fully supply product demands from all customers across the world.

Now our Daily Production is over 10,000 pcs, We are one of the pioneer domestic enterprises who successfully in Research, Development and production. Our products is widely used in the field from industrial electronic installation, maintenance service to DIY and daily household needs.

Tags:

99.99Hz Handheld Digital Multimeter

600v Auto Range Digital Multimeter

60m Handheld Digital Multimeter

Related Products



600mA Handheld Digital Multimeter , 6000 Count...

[Get Best Price](#)



600 Volt 600uA Hand Held Tester , 60V True RMS...

[Get Best Price](#)



99.99Hz Handheld Digital Multimeter , 9.99mF Digit...

[Get Best Price](#)



10A 1000V 6000Ohm 10nF 6000 Counts AC DC Volta...

[Get Best Price](#)



Back Light 600V 2000 Counts Handheld Digital...

[Get Best Price](#)



60M Ohm 100mF 2x1.5V AA Batteries 10A 1000 Volt...

[Get Best Price](#)



200mA Handheld Digital Multimeter , 600V Manua...

[Get Best Price](#)



400uA 400mV 400Ohm Pocket Size Digital...

[Get Best Price](#)



6000 Counts 1000V 6000uA Handheld Digital Multimeter

[Get Best Price](#)

HABOTEST®

Quick Link

[About Us](#)

[products](#)

Products

[Handheld Digital Multimeter](#)

[Digital Clamp Meters](#)

Quick Contact

 Tel
86--13798735962



Social Media



[blog](#)

[Contact Us](#)

[Pen Type Voltage Tester](#)

[Brake Fluid Moisture Detector](#)

[Plug Socket Tester](#)

[Environmental Testers](#)



E-mail

sales@habotest.com.cn



Address

8th Bulding, Qinghu Industrial Zone, QingXi Town
Dongguan,GuangDong,China

