




# Raspberry Pi 500

Published December 2024



The terms HDMI, HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing Administrator, Inc.

## Overview




**A fast, powerful computer built into a high-quality keyboard, for the ultimate compact PC experience.**

Raspberry Pi 500 features the same quad-core 64-bit Arm processor and RP1 I/O controller found in Raspberry Pi 5. With a one-piece aluminium heatsink built in for improved thermal performance, your Raspberry Pi 500 will run fast and smoothly even under heavy load, while delivering glorious dual 4K display output.

For those looking for the complete Raspberry Pi 500 setup, the Raspberry Pi 500 Desktop Kit comes with a mouse, a USB-C power supply and an HDMI cable, along with the Official Raspberry Pi Beginner's Guide, to help you get the most out of your new computer.

## Specification

|                               |                                                                                                                                              |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Processor:</b>             | 2.4GHz quad-core 64-bit Arm Cortex-A76 CPU, with cryptography extensions, 512KB per-core L2 caches and a 2MB shared L3 cache                 |
| <b>Memory:</b>                | 8GB LPDDR4X-4267 SDRAM                                                                                                                       |
| <b>Connectivity:</b>          | Dual-band (2.4GHz and 5.0GHz) IEEE 802.11b/g/n/ac Wi-Fi®<br>Bluetooth 5.0, BLE<br>Gigabit Ethernet<br>2 × USB 3.0 ports and 1 × USB 2.0 port |
| <b>GPIO:</b>                  | Horizontal 40-pin GPIO header                                                                                                                |
| <b>Video &amp; sound:</b>     | 2 × micro HDMI ports (supports up to 4Kp60)                                                                                                  |
| <b>Multimedia:</b>            | H.265 (4Kp60 decode);<br>OpenGL ES 3.0 graphics                                                                                              |
| <b>SD card support:</b>       | microSD card slot for operating system and data storage                                                                                      |
| <b>Keyboard:</b>              | 78-, 79- or 83-key compact keyboard<br>(depending on regional variant)                                                                       |
| <b>Power:</b>                 | 5V DC via USB connector                                                                                                                      |
| <b>Operating temperature:</b> | 0°C to +50°C                                                                                                                                 |
| <b>Dimensions:</b>            | 286 mm × 122 mm × 23 mm (maximum)                                                                                                            |
| <b>Production lifetime:</b>   | Raspberry Pi 500 will remain in production until at least January 2034                                                                       |
| <b>Compliance:</b>            | For a full list of local and regional product approvals, please visit <a href="https://pip.raspberrypi.com">pip.raspberrypi.com</a>          |
| <b>List price:</b>            | See table below                                                                                                                              |




## Buying options

| Product and regional variant     | Keyboard layout | microSD card                                           | Power supply                     | Mouse | HDMI cable                          | Beginner's Guide | Price* |
|----------------------------------|-----------------|--------------------------------------------------------|----------------------------------|-------|-------------------------------------|------------------|--------|
| Raspberry Pi 500 Desktop Kit, UK | UK              | 32GB microSD card, pre-programmed with Raspberry Pi OS | UK                               | Yes   | 1 × micro HDMI to HDMI-A cable, 1 m | English          | \$120  |
| Raspberry Pi 500 Desktop Kit, US | US              |                                                        | US                               |       |                                     | English          |        |
|                                  |                 |                                                        |                                  |       |                                     |                  |        |
| Raspberry Pi 500, UK             | UK              | 32GB microSD card, pre-programmed with Raspberry Pi OS | Not included in unit-only option |       |                                     |                  | \$90   |
| Raspberry Pi 500, US             | US              |                                                        |                                  |       |                                     |                  |        |


\* price excludes sales tax, any applicable import duty, and local shipping costs

# Keyboard print layouts

## UK



## US



## **WARNINGS**

- Any external power supply used with Raspberry Pi 500 shall comply with relevant regulations and standards applicable in the country of intended use.
- This product should be operated in a well-ventilated environment and should not be covered when being operated.
- The connection of incompatible devices to Raspberry Pi 500 may affect compliance, result in damage to the unit, and invalidate the warranty.
- There are no user-serviceable parts inside Raspberry Pi 500, and opening the unit is likely to damage the product and invalidate the warranty.
- All peripherals used with this product should comply with relevant standards for the country of use and be marked accordingly to ensure that safety and performance requirements are met. These articles include, but are not limited to, mice, monitors and cables when used in conjunction with Raspberry Pi 500.
- The cables and connectors of all peripherals used with this product must have adequate insulation so that relevant safety requirements are met.
- Prolonged exposure to direct sunlight may cause discoloration.

## **SAFETY INSTRUCTIONS**

**To avoid malfunction or damage to this product, please observe the following:**

- Do not expose to water or moisture whilst in operation.
- Do not expose to heat from any source; Raspberry Pi 500 is designed for reliable operation at normal ambient temperatures.
- Take care whilst handling to avoid mechanical or electrical damage to the computer.





Raspberry Pi is a trademark of Raspberry Pi Ltd

---